

Automatic Scribe Marks Machine for Corrosion Testing

In the corrosion testing of different coatings, we always need to prepare a specific scribe marks on the coating surface. Manual cutting often lead to defects, such as non-straightness scribe marks, damaged edges of the scribe marks, inconsistent damage to the substrate. These defects may have a random influence on the test results. Moreover, when we cut the scribe marks on the multilayer coating, manual operation becomes more difficult, it cost more time and difficult to obtain a uniform scribe mark.

For the corrosion resistant coating, its neutral salt spray testing demands a vertical 2mm scribe mark. BGD 539 Automatic Scribe Marks Machine for Corrosion Testing can make this scribe mark easily, moreover, it has the following characteristics:

- ◆ 2mm wide vertical scratch, strictly comply with the standard.
- ◆ The cutting blade adopt rotary cutting principle to ensure the edge of the prepared scratch is neat and without damage.
- ◆ The cutting blade is floating design, can load different thickness test panel, and can minimize the damage of the substrate
- ◆ With scale indication, easy to cut different size scratch.

Main Technical Parameters:

- ★ Working Distance: 0~150mm
- ★ Scribe mark Depth: 0~2000 μ m
- ★ Test panel Thickness: 0~5mm (include the thickness of the coating)
- ★ Overall Size: 374mm \times 320mm \times 410mm
- ★ Working Platform Size: 250mm \times 125mm
- ★ Ordering information:

BGD 539--- Automatic Scribe Marks Machine for Corrosion Testing



Note: Biuged can customize this machine for special scribe mark, including different working platform size, different working distance.